




MAID-O'-MIST®




*Price Change



Parker SWEAT TYPE MOISTURE & LIQUID INDICATORS


SSC No.	Manuf No.	Size	Overall Length	Cut Out Length	Price Each
42A 0700	VPSG-2S	1/4" Sweat Type	4.88"	4.19"	\$ 21.88
42A 0750	VPSG-3S	3/8" Sweat Type	4.88"	4.12"	22.60 *



MAID-O'-MIST® QUICK HOOK-UP SADDLE VALVE

FOR USE ON IRON, COPPER OR BRASS LINES. SUITABLE FOR PRESSURES UP TO 150 PSI. SIMPLY DRILL A 1/4" HOSE IN PIPE & CLAMP ON VALVE.

SSC No.	Manuf No.	Size	Price Each
30M 8910	8	1/2" x 1/4" For 3/8" OD to 1" IPS	\$ 3.50




SELF-PIERCING WATER TAP VALVE KIT

FOR USE ON COPPER LINES. INSTALLS WITHOUT SHUTTING OFF WATER. NO DRILLING. STAINLESS STEEL PIERCING NEEDLE. 1/4" COMPRESSION FITTING.

SSC No.	Manuf No.	Size	Fits	Price Each
42A 7090	S92-001	1/4" OD	3/8" To 1.315 OD Tube	.6 Lbs \$ 6.20


For More Information On These Products Or On Products Not Listed, Call *Salina Supply Company* At (785) 823-2221



Parker SOLENOID VALVE BODIES OR COILS

SHOWN WITH COILS. TWO WAY TYPE NORMALLY CLOSED. FOR AIR, WATER BELOW 180° F. LIGHT OILS BELOW 300 SUS.

SSC No	Manuf No	Product	Size	Voltage	Price Each
TYPE G SOLENOID VALVE BODIES					
42A 6210	GP4/GP400	Type G Valve Body	1/2" IPF		\$ 107.70 *
42A 6310	GP6/GP600	Type G Valve Body	3/4" IPF		143.80
COILS FOR TYPE G SOLENOID VALVE BODIES					
42A 5710	G23MM	Coil For Type G		24 V	\$ 41.17
42A 5820	G23MM	Coil For Type G		120 V/240 V	41.17
42A 5910	G23MM	Coil For Type G		240 V	41.17




Watsco SHORT CYCLE PROTECTOR

SSC No	Manuf No.	Price Each
44B 3670	1085325	\$ 18.75

CAPACITORS

* Price Change



DUAL VOLTAGE RUN CAPACITORS


SSC No	MFD Run	Voltage		Price Each
44D 1020	5	370/440	Oval	\$ 2.48
44D 1025	40/5	370/440	Round	14.16
44D 1040	6	370/440	Oval	11.83
44D 1050	7.5	370/440	Round	4.13
44D 1060	10	370/440	Round	4.80
44D 1070	15	370/440	Round	5.19
44D 1075	20	370/440	Oval	15.03
44D 1080	25	370/440	Round	9.20
44D 1100	30	370/440	Round	10.03
44D 1110	30	370/440	Oval	10.03
44D 1120	35	370/440	Round	11.09
44D 1130	35	370/440	Oval	11.09
44D 1140	40	370/440	Round	12.98
44D 1160	5	370/440	Round	2.48



UNIVERSAL MOTOR-MATE MOTOR RUN CAPACITOR

CARTON INCLUDES: PERMANENT MARKER, 5 JUMPER CABLES, MOTOR-MATE CAPACITOR & FULL INSTRUCTIONS
REPLACES OVER 200 SINGLE & DUAL VALUE CAPACITORS • 67.5 MFD COMBINED TOTAL CAPACITANCE


SSC No	Desc.	Price Each
44D 1150	MUNICAP200 2.5/5.0/5.0/10.0/20.0/25.0 mfd 370VAC or 440VAC 50-60Hz	\$ 41.42



Supco SUPER-BOOST HARD START KIT

INCREASES COMPRESSOR TORQUE 500% • INSTALL ONLY ON PSC UNITS WITH RUN CAPACITOR
USE ON PSC SINGLE PHASE, 115V THRU 288V AIR CONDITIONING UNITS FROM 4,000 THRU 120,000 BTU (1/2 THRU 10 H.P.)


SSC No	Manuf No	Desc.	Price Each
44B 3770	SPP6	Solid State Relay & Hard Start Capacitor	\$ 30.64



BRAMEC® 8' REPLACEMENT POWER SUPPLY CORD

FOR DISPOSALS, APPLIANCES, POWER TOOLS & EQUIPMENT

SSC No	Manuf No	Desc.	Price Each
44B 3650	17629	14/3 SJTWA Power Cord	\$34.24 *



BRAMEC® SUPER-PAN® PLASTIC SECONDARY DRAIN PAN


BLACK IMPACT RESISTANT HIGH DENSITY POLYETHYLENE PLASTIC • ROLLED EDGES FOR DURABILITY & STRENGTH
RIBBED BOTTOMS FOR RIGIDITY • 3/4" PVC FITTINGS SUPPLIED • NO RUST - NO BREAKAGE - NO LEAKAGE

SSC No	Manuf No	Size		Price Each
46B 9135	17619	32" X 63" X 2 1/2" Deep	Horizontal Drain Pan	\$ 46.74
46B 9140	17586	27" X 39" X 2 1/2" Deep	Horizontal Drain Pan	32.89 *




Note: All Prices On This Page Have Changed

Parker FLARE TYPE FILTER DRIERS




SSC No.	Model No.	Part No.	Desiccant Cubic In	Conn	Ton Cap.	Body Diameter	A	Wgt Lbs	Price Each
42B 1910	VAD082R	1147934	8	1/4"	2.4	27/8"	55/8"	1.00	\$ 20.84
42B 1920	VAD083R	DRYL083	8	3/8"	5.5	2 ³¹ /32"	61/16"	1.13	20.84
42B 1960	VAD163R	DRYL163	16	3/8"	5.9	2 ³¹ /32"	63/4"	2.19	26.46
42B 1970	VAD164R	DRYL164	16	1/2"	11	2 ³¹ /32"	7"	2.25	28.83

Parker SOLDER TYPE FILTER DRIERS



SSC No.	Model No.	Part No.	Desiccant Cubic In	Conn	Ton Cap.	Body Diameter	A	Wgt Lbs	Price Each
42B 2100	VAD052	DRYL052S	5	1/4"	1.9	2 ³ /8"	3 ³ /4"	.81	\$ 16.69
42B 2220	VSS083	DRYL083S	8	3/8"	6.6	2 ³ /8"	4 ³ /8"	1.00	15.44
42B 2250	VAD163	DRYL163S	16	3/8"	6.9	2 ³¹ /32"	5 ³ /64"	2.06	26.46
42B 2260	VAD164	DRYL164S	16	1/2"	12	2 ³¹ /32"	5"	2.13	28.83

Parker SUCTION LINE FILTER DRIERS




SSC No.	Model No.	Volume Cubic In	Conn. O.D.	Filter Area	A	B	Wgt Lbs	Price Each
42B 2862	VSSLD30-5SV	12.5	5/8"	26"	2 ³¹ /32"	9.25"	1.79	\$ 36.36
42B 2863	VSSLD30-6SV	12.5	3/4"	26"	2 ³¹ /32"	9.31"	1.79	36.58
42B 2864	VSSLD30-7SV	12.5	7/8"	26"	2 ³¹ /32"	9.31"	1.79	38.21
42B 2865	VSLD27-9SVHH	12.5	1 1/8"	26"	2 ³¹ /32"	59/32"	1.79	83.17

MODEL NUMBER	PART NUMBER	FILTER AREA IN SQUARE INCHES	WATER CAPACITY IN DROPS			FLOW CAPACITY TON AT 2 PSI			OZ AT 86°F TO FILL DRIER		
			REFRIG 12	REFRIG 22	REFRIG 502	REFRIG 12	REFRIG 22	REFRIG 502	REFRIG 12	REFRIG 22	REFRIG 502
			75/125°	75/125°	75/125°						
A-16600	FL-032	113/4"	57/38	34/26	38/29	2.0	2.4	1.6	3.4	3.1	3.3
A-16601	FL-033	113/4"	57/38	34/26	38/29	3.6	4.3	2.9	3.4	3.1	3.3
A-16608	FL-082	25 1/2"	156/104	93/70	104/78	2.0	2.4	1.6	7.9	7.2	7.5
A-16609	FL-083	25 1/2"	156/104	93/70	104/78	4.6	5.5	3.7	7.9	7.2	7.5
A-16610	FL-084	25 1/2"	156/104	93/70	104/78	9.2	11.0	7.3	7.9	7.2	7.5
A-16612	FL-162	36 1/4"	265/177	159/120	177/133	1.8	2.1	1.4	16.8	15.3	16.0
A-16613	FL-163	36 1/4"	265/177	159/120	177/133	4.9	5.9	3.9	16.8	15.3	16.0
A-16614	FL-164	36 1/4"	265/177	159/120	177/133	9.2	11.0	7.3	16.8	15.3	16.0
A-16615	FL-165	36 1/4"	265/177	159/120	177/133	13.4	16.1	10.7	16.8	15.3	16.0
A-16619	FL-304	65 1/2"	490/328	260/220	328/245	10.0	12.0	8.0	22.2	20.1	20.9
A-16620	FL-305	65 1/2"	490/328	260/220	328/245	14.2	17.0	11.3	22.2	20.1	20.9
A-16624	FL-414	75"	635/425	330/280	425/318	10.5	12.6	8.4	33.2	30.2	31.3
A-16625	FL-415	75"	635/425	330/280	425/318	14.5	17.4	11.6	33.2	30.2	31.3
A-16646	SD-033	17"	100/67	66/50	67/50	1.6	1.9	1.3	5.8	5.3	5.5
A-16647	SD-032	17"	100/67	66/50	67/50	5.2	6.2	4.1	5.8	5.3	5.5
A-16653	SD-033	36 1/4"	265/177	159/120	177/133	5.8	6.9	4.6	16.8	15.3	16.0
A-16654	SD-032	36 1/4"	265/177	159/120	177/133	10.0	12.0	8.0	16.8	15.3	16.0

REFRIGERATION

*Price Change



FOAMINATOR FIN/COIL CLEANER

ALKALINE BASED FOAMING CLEANER. CLEANS & BRIGHTENS FINNED HEAT/COOLING EQUIPMENT. REDUCED FUMING. USDA RATED. BIODEGRADABLE & PHOSPHATE FREE.

SSC No.	Manuf No.	Size		Price Each
LIQUID FOMINATOR COIL CLEANER - FOR OUTDOOR USE ONLY!				
42E 0016	FM-1	1 Gallon	Liquid Coil Cleaner	\$ 23.85 *
POWDER FOMINATOR COIL CLEANER - FOR OUTDOOR USE ONLY!				
42E 0018	FMP-1	8 Ounce Packet	Powder Coil Cleaner	\$ 5.26



BLOWOUT AEROSOL COIL CLEANER

PRESSURIZED CONDENSER BLOWOUT BLOWS LINT, DIRT & DUST FROM COILS WITH SUPER COMPRESSED GAS & SOLVENT. NO RINSING NECESSARY. FOR INDOOR USE.


SSC No.	Manuf No.	Size		Price Each
42E 0020	BLO-1	20 Ounce Can		\$ 15.39 *



ICE MACHINE CLEANER APPLIANCE

A NON-FOAMING, NON-FUMING, STAINLESS STEEL SAFE CLEANER. FORMULATED FOR THE LIGHT-DUTY APPLIANCE INDUSTRY.

SSC No.	Manuf No.	Size		Price Each
42E 0025	IMCA-1/2P	8 Ounce Bottle		\$ 6.23 *



Ritchie YELLOW JACKET SUPEREVAC PUMP

•HIGH EFFICIENCY •VACUUM INDICATOR GAUGE •HEAVY DUTY HIGH TORQUE MOTOR •GAS BALLAST
•LOW OPERATING TEMPERATURE •LARGE OIL RESERVOIR •RUGGED METAL CONSTRUCTION


SSC No.	Manuf No.	Size		Price Each
42C 1067	93560	2 Stage Vacuum Pump	6.0 CFM	\$ 717.53
42P 0265	VP0350-1Q	Vacuum Pump Oil	1 Quart	\$ 10.76 *



Ritchie COMBINATION MAX-FLOW OIL PUMP

SUCTION TRANSFER HOSE & UNIVERSAL STOPPER. WITH SMOOTH ACTION DOWN STROKE PUMPING.

SSC No.	Manuf No.	Size		Price Each
42C 4005	77940	2.6 Oz/Stroke		\$ 105.97



REFRIGERATION OIL - 150 SUS



SSC No.	Manuf No.	Size	Price Each
42P 0070	RO-3	1 Gallon	\$ 32.95



DEGREASER

NONCORROSIVE TO METALS




SSC No.	Manuf No.	Size	Price Each
42C 7060	DS-1	1 Gallon	\$ 42.55 *

continued on next page

REFRIGERATION


*Price Change



Ritchie SEALRIGHT QUIK COUPLER SET

•19109 1/4" SEALRIGHT STRAIGHT X 1/4" MALE FLARE •19209 1/4" SEALRIGHT 90° X 1/4" MALE FLARE


SSC No.	Manuf No.	Price Each
42C 2750	19100	1 Peice Screws On Quickly Field Serviceable \$ 34.83



Ritchie YELLOW JACKET SERIES 41 MANIFOLD


•EASY-TO-READ 3 1/8" COLOR CODED GAUGES •PRESTESTED •FORGED BRASS BODY WITH METAL VALVE HANDLES
•FLUTTERLESS™ GAUGE MOVEMENTS •3 60" RYB PLUS II HOSES WITH STANDARD 1/4" FLARE FITTINGS •FOR R410A

SSC No.	Manuf No.	Price Each
42C 4020	42715	Testing & Charging Manifold With Gauges & Hoses \$ 213.07
42C 4030	49047	Brass Pressure Gauge 500 PSI \$ 36.57
42C 4040	49048	Brass Compound Gauge 350 PSI 0-30 Vac 44.54



Ritchie YELLOW JACKET CHARGING HOSES

SSC No.	Manuf No.	Wgt.	Price Each
YELLOW JACKET PREMIUM CHARGING HOSE			
42C 2640	11036	1/4" x 36" 1 Pak Yellow	.36 Lbs \$ 17.81 *
PLUS II CHARGING HOSES •WITH DOUBLE BARRIER PROTECTION •45° SEALRIGHT FITTING AT ONE END			
42C 4035	29985	1/4" x 60" 3 Pak Yellow Blue Red	.5 Lbs \$ 134.77



SEAL REPLACEMENT KIT


5 MINUTE FIELD REPAIR •2 O RINGS •2 KEL-F TIPS

SSC No.	Manuf No.	Price Each
42C 2890	40233	\$ 5.60



SET OF 10 GASKETS


SSC No.	Manuf No.	Price Each
42C 1950	CH-20	19020 \$ 4.97



Ritchie YELLOW JACKET SLING PSYCRHOMETER

•ONE PIECE UNIT WITH SELF-CONTAINED HOUSING FITS INTO YOUR POCKET
•SLIM, COMPACT TOOL EASILY CHECKS HUMIDITY

SSC No.	Manuf No.	Price Each
42C 4025	69010	Calibrated & Easy-To-Read \$ 131.88




UEI ELECTRONIC DIGITAL MANOMETER

•SINGLE INPUT •MEASURES POSITIVE & NEGATIVE PRESSURE TO 20" WATER GAUGE •3 SCALES - In-WG, mBAR & PSI
•AUTO POWER OFF •RUBBER BOOT WITH BUILT-IN MAGNET •.01" RESOLUTION BELOW 9.99"

SSC No.	Manuf No.	Measurement Range	Operating Range	Price Each
42P 1155	EM151	-20" to 20" WG	32" -104° F 10 - 90% RH	\$ 144.67

REFRIGERATION


* Price Change



UEI POCKET-SIZED DIGITAL PSYCRHOMETER

- TRIPLE DISPLAY • PROTECTIVE SENSOR CAP • 2 AAA BATTERIES & INSTRUCTION MANUAL INCLUDED
- -4° TO 122° F TEMPERATURE RANGE • 0 TO 100% RH RANGE • -69° TO 122° F WET BULB RANGE
- -90.4° TO 122° F DEW POINT RANGE • -4° TO 158° F EXTERNAL TEMPERATURE RANGE • 60 SECOND RESPONSE TIME


SSC No.	Manuf No.		Price Each
42P 1150	DTH31	Monitors 3 Parameters Simultaneously	\$ 154.20



MINI-INFRARED THERMOMETER WITH CASE

- 8:1 DISTANCE TO SPOT RATIO • WITH CARRYING CASE • 9 VOLT BATTERY • LASER POINTER BEAM • LCD DISPLAY
- F/C SELECTABLE • BACKLIGHT SELECT SWITCH • ON/HOLD SWITCH • LASER SWITCH

SSC No.	Manuf No.		Price Each
42P 0230	MA-16510	-4 to 518° f. (-20 to 270° C.) Range	\$ 149.36 *



DIGITAL CLAMP ON METER WITH CASE

- TEAR-DROP SHAPED JAW • DATA HOLD & PEAK HOLD FUNCTION • SURGE & OVERLOAD PROTECTION IN ALL RANGES
- EASY-TO-READ 3 1/2" DIGIT LCD SCREEN • CONTINUITY CHECK WITH BEEP SOUND • 9 VOLT BATTERY


SSC No.	Manuf No.		Price Each
42P 0235	MA-DCM3	AC/DC Volt & Ohmmeter	\$ 94.00 *



UEI PHOENIX II CLAMP-ON METER

- DETACHABLE CLAMP HEAD • WORKLIGHT • MAGNETIC MOUNT • DATA HOLD • AUTO OFF • FREQUENCY/DATA CYCLE
- INON-CONTACT VOLTAGE • DIOD & MIN/MAX • TEST LEAD STORAGE • 3 YEAR LIMITED WARRANTY


SSC No.	Manuf No.		Price Each
42P 0240	DL279	-40° to 752°F 400 Amps DC 750 V AC / 10000 V DC	\$ 179.92



UEI DIGITAL POCKET THERMOMETER

- FITS FLAT IN POCKET • 5 3/4" LONG • 3" STEM • RUGGEDIZED (WITHSTANDS A 10' DROP) • 3 YEAR LIMITED WARRANTY
- LARGE EASY-TO-READ LCD DISPLAY • ON/OFF BUTTON & AUTO POWER OFF • DATA HOLD & CONTINUOUS UPDATE

SSC No.	Manuf No.		Wgt.	Price Each
42P 1175	PDT550	-40° to 300° F Temperature Range	.2 Lbs	\$ 30.32



UEI DIGITAL POCKET THERMOMETER


- PROTECTIVE BOOT • MAGNET • WATER RESISTANT • AUTO POWER OFF • 3 YEAR LIMITED WARRANTY

SSC No.	Manuf No.		Price Each
42P 1190	550B	-58° to 572° F Temperature Range	\$ 21.55

continued on next page

REFRIGERATION

* Price Change
** New Product



UEI **DM410** DIGITAL MULTIMETER

• EASY-TO-USE • RUGGEDIZED (WITHSTANDS A 10' DROP) • PROTECTIVE BOOT • 5 YEAR LIMITED WARRANTY
• SET OF RUBBERIZED TEST LEADS • SURGE VOLTAGE PROTECTION • 2 CERAMIC FUSES • 9 V BATTERY


SSC No.	Manuf No.		Price Each
42P 1220	DM410	ACA ACV DCA DCV Ω	\$ 116.12



UEI **DM384** DIGITAL MULTIMETER

• EASY-TO-USE • RUGGEDIZED (WITHSTANDS A 10' DROP) • PROTECTIVE BOOT • 5 YEAR LIMITED WARRANTY
• SET OF RUBBERIZED TEST LEADS • SURGE VOLTAGE PROTECTION • 2 CERAMIC FUSES • 9 V BATTERY

SSC No.	Manuf No.		Price Each
42P 1240	DM384	ACA ACV DCA DCV Ω Measures Capacitance	\$ 151.91




UEI **DM383** 7 FUNCTION DIGITAL MULTIMETER

• EASY-TO-USE • RUGGEDIZED (WITHSTANDS A 10' DROP) • PROTECTIVE BOOT • 5 YEAR LIMITED WARRANTY
• SET OF RUBBERIZED TEST LEADS • SURGE VOLTAGE PROTECTION • 2 CERAMIC FUSES • 9 V BATTERY

SSC No.	Manuf No.		Price Each
42P 1210	DM383	Multimeter With 7 Functions	\$ 80.99


For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221



BRAMEC[®] CARBON MONOXIDE DETECTOR

LARGE 3 1/2" LCD DISPLAY. FAST SAMPLING TIME. LED LIGHT/AUDIBLE ALARM. 9 VOLT BATTERY INCLUDED. ABOVE 200 PPM, BEEPER SOUNDS CONTINUOUSLY WITH THE CONCENTRATION OF CO.

SSC No.	Manuf No.	Operating Temperature	Price Each
42P 0245	MA-12830A	-32° F To 122° F	\$ 242.88 **



UEI **REFRIGERANT GAS LEAK DETECTOR**

• INCLUDES • 2 SENSORS • BATTERY • PROTECTIVE BOOT • INSTRUCTION BOOKLET
• AUDIO & VISUAL LEAK INDICATORS • 18" LONG FLEXIBLE GOOSENECK PROBE • EASY, ONE HAND OPERATION
• AUTOMATICALLY DETECTS ALL EXISTING REFRIGERANTS & BLENDS, INCLUDING 404A • LOW BATTERY INDICATOR

SSC No.	Manuf No.		Price Each
42P 1270	RD95	.4 oz./yr. sensitivity 1 Year Warranty	\$ 340.27 *

continued on next page

REFRIGERATION


*Price Change



LOW TEMPERATURE LEAK DETECTOR

•FOR USE ABOVE & BELOW 32° F •IDEAL VISCOSITY - THICK ENOUGH IT WON'T RUN OFF
•SENSITIVE ENOUGH TO FIND SMALLEST LEAKS •EASY TO SEE FLUORESCENT

SSC No.	Manuf No.		Price Each
42A 0200	LDL-1Q	1 Quart Bottle	\$ 12.07 *



RUST BUSTER

•QUICKLY LOOSENS RUSTED BOLTS, SWREWS, ETC.
•1 TELESCOPING SPOUT


SSC No.	Manuf No.	Price Each
42A 0210	CR-1DIV/40020	4 Oz \$ 3.06



PULL-A-SPOUT OILER

• FILLED WITH ALL PURPOSE LUBE OIL
TELESCOPING SPOUT


SSC No.	Manuf No.	Price Each
42P 0264	CO-1DIV/40016	4 Oz \$ 2.49



BRAMEC® NYLON FIN COMBS

•STRAIGHTENS CONDENSER & EVAPORATOR FINS •EASY TO GRIP
•COLOR-CODED FOR EASY IDENTIFICATION

SSC No.	Manuf No.	FPI		Price Each
42A 8305	1161142	9 & 15 FPI	Yellow Comb	\$ 3.61
42A 8310	1161145	16 & 17 FPI	Forest Green Comb	4.10
42A 8320	1161146	18 & 20 FPI	Red Comb	4.10
42A 8321	1162489/T23	23 & 24 FPI	Black Comb	5.30




NYLON FIN TOOL SET

CONTAINS 1 EACH OF: •**T408** ORANGE (8 & 10 FPI) •**T409** YELLOW (9 & 15 FPI)
•**T411** BLUE (11 & 13 FPI) •**T412** GREEN (12 & 14 FPI) •**T417** LIME (16 & 17 FPI) •**T418** RED (18 & 20 FPI)



SSC No.	Manuf No.	Price Each
42A 8325	1161147	Set With 6 Color Coded Fin Combs \$ 20.76



BRAMEC® UNIVERSAL ADJUSTABLE FIN COMB

•COMFORTABLE BICYCLE GRIP •METAL BRISTLES •ADJUSTABLE TENSION BAND •ADJUSTS TO ALL FIN SPACINGS

SSC No.	Manuf No.	Price Each
42A 8330	19917	Ajustable Fin Comb \$ 9.79 *

For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221